

COPIE

LES FILS DE G. PACCARD, A

F

CARILLON DE BUCLOS.

- - - - -

N°	TOTALITE	POIDS	Porte Battants	BATTANTS	Poids Total	OBSERVATIONS
1	DO	24 K°	0,600	2,500	27,100	
2	DO Dièze	19,900	0,600	1,600	22,100	
3	RE	17,600	0,600	1,500	19,700	
4	RE Dièze	10,800	0,600	1,500	12,900	
5	MI	10,700	0,500	1,500	12,700	
6	FA	12,000	0,500	1,600	14,100	
7	FA	10,200	0,550	1,200	11,950	
8	FA Dièze	8,500	0,500	1,200	10,200	
9	FA Dièze	7,600	0,500	1,300	9,400	
10	SOL	8,600	0,400	1,200	10,200	
11	SOL	6,900	0,450	1,250	8,600	
12	SOL Dièze	6,600	0,400	1,000	8,000	
13	SOL Dièze	5,800	0,400	0,850	7,050	
14	LA	4,400	0,400	0,850	5,650	
15	LA	4,050	0,400	0,600	5,050	
16	LA	3,800	0,400	0,550	4,750	
17	LA Dièze	4,000	0,400	0,800	5,200	
18	LA Dièze	3,800	0,400	0,600	4,800	
19	LA Dièze	3,000	0,400	0,500	3,900	
20	SI	3,100	0,400	0,500	4,000	
21	SI	3,100	0,400	0,500	4,000	
22	SI	2,650	0,400	0,500	3,550	
23	DO	2,700	0,400	0,500	3,600	
24	DO	2,850	0,400	0,500	3,750	
25	DO	2,600	0,400	0,500	3,500	

TOTAUX.....189,250 12,850 25,100 236,350

189.250 11.150

225.500

Fact. du 6. 11. 1925 (cloches percées avec battant et p. battant)